



Revillusion®

24" Built-in Electric Firebox
/ Fireplace Insert

RBF24DLX
Herringbone Brick



Easily update and finish an existing fireplace with Revillusion technology.

Revillusion® is a completely new way of looking at fireplaces, and changing the standard for electric. A clear view through the lifelike flames, to the full brick interior, captures the charm of a wood-burning fireplace. Enjoy the look of a fireplace cut straight from the pages of a magazine by choosing Revillusion®; clearly a better fireplace.

Revillusion®
by Dimplex

Revillusion® 24" Built-in Electric Firebox / Fireplace Insert

RBF24DLX Herringbone Brick

Capacitive touch built-in controls.



Mood-maker Remote
Customize the light color and intensity for a fireplace that reflects your personality.

RBF24DLX
Herringbone brick firebox interior

Deluxe Features

ComfortSaver® Heating System
The patented ComfortSaver® ceramic heating system uses 11% less energy than the leading quartz infrared heater by automatically adjusting fan speed and heater wattage to safely and precisely match the requirements of the room.

Eco Boost
When Eco Boost is activated heater runs in a reduced wattage range.

Flame Speed
Allows you to adjust the speed of the flame to create the perfect atmosphere to suit your mood or room.

Glass Pane Included

120 V | 1,500 W | 5,118 BTU

Also available in Weathered Concrete - RBF24DLXWC



Features

Revillusion® Flame Technology
Flames are larger, brighter and more random, appearing from within the logs.

Mirage™ Flame Panel
Partially frosted acrylic panel is clearly better than a mirror, showing only dazzling flames and no reflections.

ThruView™ Full-depth Design
See clear through the flames to the back of the firebox for a more authentic experience.

Mood Lighting
Customize the firebox glow with a choice of warm hues, plus midnight mode.

Color Enhancement
Adjust the flame base color to red or blue.

Realogs® Plus
A full grate of life-size hardwood-cast logs, tiered for greater depth.

Full Surround Firebox
More authentic day or night; 270-degree surround with natural soot markings.

Brightness and Flicker
Adjust light level to suit the room and choose flicker effect for enhanced firelight.

Ambient Light Sensor
Automatically adjusts firebox light to suit the room day to night.

All-season Flames
Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.

Just Plug It In / Direct-wire
Simply plug into any standard household outlet for instant ambiance. Can be hardwired to a 120 volt circuit for a seamless look.

Model #	Description	Lbs / Kg	UPC	Wty ¹	Carton Dimensions (WxHxD)		Cube	
					Inches	cm	ft ³	m ³
RBF24DLX	24" Built-in Electric Firebox - Herringbone brick interior	58.2 / 26.4	781052 120655	2 yrs.	29-3/8 x 28-1/8 x 16-3/8	74.4 x 71.2 x 41.6	7.83	0.22
RBF24DLXWC	24" Built-in Electric Firebox - Weathered concrete interior	58.2 / 26.4	781052 129832	2 yrs.	29-3/8 x 28-1/8 x 16-3/8	74.4 x 71.2 x 41.6	7.83	0.22
RBFL24BR	Birch Log Set	15 / 6.8	781052 130005	2 yr.	25-7/8 x 17-1/2 x 15	65.5 x 44.2 x 38.1	3.90	0.11
RBFL24FC	Fresh Cut Log Set	15 / 6.8	781052 129955	2 yr.	25-7/8 x 17-1/2 x 15	65.5 x 44.2 x 38.1	3.90	0.11
RBF24TRIM36	36" Installation Trim	15.7 / 7.1	781052 123595	1 yr.	39-1/8 x 36-1/4 x 4-5/8	99.2 x 92.0 x 11.5	3.80	0.10
RBF24TRIM40	40" Installation Trim	17.7 / 8.0	781052 123618	1 yr.	43 x 36-1/4 x 4-5/8	109.2 x 92.0 x 11.8	1.01	0.11


Specifications, finishes and dimensions are subject to change. ¹Limited warranty. ©2020 Glen Dimplex Americas

SE-367-R07-041420

Revillusion® 24" Built-in Electric Firebox / Fireplace Insert

RBF24DLX Herringbone Brick

Accessories



RBF24TRIM36
- 36" Black Installation Trim



RBF24TRIM40
- 40" Black Installation Trim



RBF24BR - Birch Log Set
Dimensions:
18-1/2" W x 10-7/8" H x 11" D
(46.8 cm x 27.4 cm x 27.9 cm)



RBF24FC - Fresh Cut Log Set
Dimensions:
18-1/2" W x 10-7/8" H x 11" D
(46.8 cm x 27.4 cm x 27.9 cm)

Framing Dimensions:

RBF24DLX		
A	B	C
12-1/2" (31.8 cm)	24-5/8" (62.5 cm)	22-3/4" (59.3 cm)
D	E	F
47-3/4" (121.2 cm)	33-3/4" (85.7 cm)	33-3/4" (85.7 cm)

NOTE: The materials used for the finished surround must be cut to precise dimensions as the 1/2" (1.3 cm) self-trimming flange is only to create a finished appearance.

Firebox Insert Trim Dimensions:

